



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

New York. I will allow the case of beriberi to go with him and note it upon his pratique.

One sailor died at sea September 16, 1906, ten days out from San Blas. From the history obtainable he apparently suffered from the same disease as the captain and mate.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND
CITIES OF THE UNITED STATES, YEARLY AND MONTHLY.

CALIFORNIA.—Month of August, 1906. Estimated population, 1,882,483. Total number of deaths reported to the State board of health, 2,106, corresponding to a death rate of 13.4 per 1,000 population. Deaths from contagious diseases were as follows: Diphtheria 8, enteric fever 72, measles 3, whooping cough 11, and 311 from tuberculosis.

COLORADO.—Month of July, 1906. Estimated population, 634,066. Reports to the State board of health show as follows: Diphtheria, 31 cases, 5 deaths; enteric fever, 173 cases, 19 deaths; scarlet fever, 105 cases, 4 deaths; smallpox, 30 cases, no deaths. Total number of deaths from all causes, 799. Month of August, 1906. Diphtheria, 28 cases, 9 deaths; enteric fever, 464 cases, 46 deaths; scarlet fever, 91 cases, 8 deaths; smallpox, 4 cases, no deaths. Total number of deaths from all causes, 856.

Colorado Springs.—Month of July, 1906. Estimated population, 32,000. Total number of deaths reported to department of public health, 36, including 11 from phthisis pulmonalis. Cases of contagious diseases reported: Scarlet fever, 2, and enteric fever, 5 (4 outside infection, 1 local infection). Month of August, 1906. Total number of deaths, 41, including enteric fever 2, and 16 from tuberculosis. Cases of contagious diseases reported: Scarlet fever, 1; enteric fever, 9 (4 outside infection, 5 local infection).

CONNECTICUT—*Hartford*.—Month of September, 1906. Estimated population, 95,000. Health department reports as follows: Total number of deaths, 141 (23 nonresidents), including enteric fever 9, whooping cough 2, diphtheria 1, and 8 from phthisis pulmonalis. Cases of contagious diseases reported: Enteric fever 49, diphtheria 4, scarlet fever 7, tuberculosis 5.

FLORIDA.—Report from the State health officer for the week ended September 29, 1906, shows as follows: Duval County (*Jacksonville*): One case diphtheria, 3 cases tuberculosis, and 2 cases enteric fever. Hillsboro County (*Tampa*): One case malaria. Week ended October 6, 1906. Duval County (*Jacksonville*): One case malaria, 1 case tuberculosis, and 3 cases enteric fever. Franklin County: One case diphtheria. Hillsboro County (*Tampa*): One case diphtheria, and 1 case tuberculosis. Dade County (*Miami*): One case malaria. Suwanee County: One case tuberculosis.

ILLINOIS.—The Bulletin of the State board of health reports as follows: January 1 to June 1, 1906. Number of counties reporting, 103. Total deaths, exclusive of city of *Chicago*, 17,380, including diphtheria 317, enteric fever 317, measles 97, scarlet fever 81, whooping cough 188, smallpox 3, and tuberculosis 2,038.

Chicago.—Month of September, 1906. Estimated population, 2,049,185. Total number of deaths 2,327, including diphtheria 31, enteric fever 48, measles 5, scarlet fever 24, whooping cough 30, and 253 from phthisis pulmonalis.

Moline.—Month of September, 1906. Total number of deaths, 22. Cases of contagious diseases reported: Diphtheria 7, scarlet fever 1, and smallpox 2.

INDIANA—*Evansville*.—Month of September, 1906. Estimated population, 75,000. Total number of deaths, 78, including enteric fever 1, and 11 from tuberculosis. Cases of contagious diseases reported: Diphtheria 11, enteric fever 20, scarlet fever 3, and phthisis pulmonalis 3.

IOWA—*Keokuk*.—Month of September, 1906. Estimated population, 16,000. Total number of deaths, 22, including 1 from enteric fever.

Ottumwa.—Month of September, 1906. Estimated population, 23,000. Health department reports as follows: Total number of deaths 13 (1 nonresident), including enteric fever 1, whooping cough 3, and 2 from tuberculosis. Cases of contagious diseases reported: Measles 2, scarlet fever 3, enteric fever 12, whooping cough 5, and tuberculosis 4.

KANSAS.—Month of July, 1906. Reports to the State board of health show as follows: Diphtheria, 19 cases and 2 deaths in 6 counties; enteric fever, 126 cases, 19 deaths in 33 counties; measles, 38 cases, 1 death in 7 counties; scarlet fever, 43 cases, 2 deaths in 17 counties; smallpox, 87 cases, 0 deaths in 20 counties; tuberculosis, 115 cases, 65 deaths in 37 counties.

Contagious diseases were distributed in the cities as follows:

Kansas City.—Diphtheria, 1 case; enteric fever, 25 cases, 2 deaths; measles, 30 cases, 0 deaths; smallpox, 1 case; tuberculosis, 30 cases, 20 deaths.

Leavenworth.—Diphtheria, 4 cases; enteric fever, 1 case, 1 death; measles, 1 case; scarlet fever, 1 case, 1 death; tuberculosis, 3 cases, 3 deaths.

Topeka.—Diphtheria, 2 cases; enteric fever, 1 case.

Month of August, 1906. Diphtheria, 47 cases, 7 deaths in 14 counties; enteric fever, 209 cases, 32 deaths in 42 counties; measles, 22 cases, 0 deaths in 3 counties; scarlet fever, 32 cases, 2 deaths in 19 counties; smallpox, 29 cases, 0 deaths in 10 counties; tuberculosis, 71 cases, 31 deaths in 26 counties.

Contagious diseases were distributed in the cities as follows:

Kansas City.—Diphtheria, 1 case, 1 death; enteric fever, 23 cases, 4 deaths; measles, 20 cases, 0 deaths; scarlet fever, 1 case, 0 deaths; smallpox, 12 cases, 0 deaths; tuberculosis, 10 cases, 5 deaths.

Leavenworth.—Diphtheria, 1 case, 1 death; scarlet fever, 1 case, 0 deaths.

Parsons.—Diphtheria, 2 cases, 1 death; enteric fever, 3 cases, 0 deaths; tuberculosis, 5 cases, 1 death.

Topeka.—Diphtheria, 11 cases, 0 deaths; scarlet fever, 1 case, 0 deaths; enteric fever, 14 cases, 1 death; tuberculosis, 4 cases, 4 deaths.

LOUISIANA—*New Orleans*.—Month of September, 1906. Estimated population, 333,000 (245,000 white; 88,000 colored). Total number of deaths 435 (256 white; 179 colored), including diphtheria 2 (white), enteric fever 11 (7 white; 4 colored), measles 1 (white), smallpox 1 (colored), whooping cough 1 (white), and 71 from tuberculosis, of which 42 were white and 29 colored. The death rate per 1,000 population per annum for the month was: Whites, 12.54; colored, 24.41. Total white and colored, 15.67.

MASSACHUSETTS—*Newton*.—Month of September, 1906. Estimated population, 37,550. Total number of deaths, 44, including diphtheria 1, and 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria 11, scarlet fever 7, enteric fever 11, tuberculosis 2.

MINNESOTA—*Stillwater*.—Month of September, 1906. Estimated population, 12,435. Total number of deaths, 6, including 2 from tuberculosis.

Winona.—Month of September, 1906. Estimated population, 23,000. Total number of deaths reported, 23, including 3 from tuberculosis.

MONTANA—*Helena*.—Month of September, 1906. Estimated population, 21,000. Total number of deaths not reported. Contagious diseases: Enteric fever, 1 case, 1 death.

NEW HAMPSHIRE—*Concord*.—Month of September, 1906. Estimated population, 20,000. Total number of deaths, 42. Contagious diseases reported: Enteric fever, 5 cases, 1 death; scarlet fever, 2 cases, no deaths; diphtheria, 3 cases, no deaths; whooping cough, 1 case, 1 death; tuberculosis, 2 cases, 2 deaths.

Franklin.—Month of August, 1906. Estimated population, 6,000. Total number of deaths reported, 9. Month of September, 1906. Total number of deaths reported, 3. Cases of contagious diseases reported: Enteric fever, 1; scarlet fever, 1.

NEW YORK.—Month of August, 1906. Estimated population, 8,198,500. Reports to the State department of health show as follows: Total number of deaths, 12,456, including enteric fever 158, measles 37, scarlet fever 20, whooping cough 89, diphtheria 104, and 1,074 from tuberculosis.

Buffalo.—Month of September, 1906. Estimated population, 400,000. Total number of deaths 544, including diphtheria 3, enteric fever 16, measles 1, scarlet fever 1, whooping cough 4, and 40 from tuberculosis.

NORTH CAROLINA.—Month of August, 1906. Estimated population, 1,893,810. Reports to State board of health from 73 counties show as follows: Measles in 6 counties, whooping cough in 25 counties, scarlet fever in 6 counties, diphtheria in 25 counties, enteric fever in 63 counties, malarial fever in all parts of 22 counties and many parts of 1 county, pernicious malarial fever in 5 counties, hemorrhagic malarial fever in 2 counties, cerebro-spinal meningitis in 2 counties, and smallpox in 5 counties, viz: Alamance, 4 cases; Ashe, 5 cases; Cherokee, 1 case; Cumberland, 1 case; Hertford, 1 case.

NORTH DAKOTA.—Month of August, 1906. Reports to the State board of health from 28 counties show as follows: Tuberculosis, 8 cases, 6 deaths; diphtheria, 32 cases, 3 deaths; enteric fever, 19 cases, 3 deaths; scarlet fever, 6 cases, no deaths; measles, 14 cases, no deaths; smallpox, 8 cases, no deaths; whooping cough, 1 case, 1 death. Total number of deaths from all causes, 112.

PENNSYLVANIA—*Butler*.—Eleven days ended September 7, 1906. Estimated population, 10,853. Total number of deaths, 13, including enteric fever 1, and 3 from tuberculosis. Cases of contagious diseases reported: Enteric fever 1.

UTAH.—Month of August, 1906. Estimated population, 315,966. Reports to State board of health show as follows: Total number of deaths, 230, including scarlet fever 1, diphtheria 10, enteric fever 12, whooping cough 7, pneumonia 4, and 5 from tuberculosis. Cases of contagious diseases reported: Scarlet fever 28, smallpox 9, diphtheria 40, enteric fever 166, whooping cough 254, and tuberculosis 7.

Salt Lake City.—Month of September, 1906. Estimated population, 75,000. Total deaths from all causes, 75, including diphtheria 1, enteric fever 10, and 4 from tuberculosis. Cases of contagious diseases reported: Diphtheria 4, enteric fever 44, scarlet fever 2, whooping cough 7, and tuberculosis 1 (incomplete).

WASHINGTON.—Month of August, 1906. Reports to the State board of health from 25 counties, exclusive of the 4 principal cities, show as follows: Diphtheria, 21 cases, 5 deaths; enteric fever, 204 cases, 11 deaths; scarlet fever, 19 cases, no deaths; smallpox, 1 case, no deaths.

Bellingham.—Enteric fever, 7 cases, no deaths.

Seattle.—Scarlet fever, 3 cases, no deaths; diphtheria, 13 cases, 1 death; enteric fever, 43 cases, 3 deaths.

Spokane.—Scarlet fever, 3 cases, no deaths; diphtheria, 2 cases, no deaths; enteric fever, 24 cases, 4 deaths.

Takoma.—Scarlet fever, 1 case, no deaths; diphtheria, 5 cases, 2 deaths; enteric fever, 16 cases, no deaths.

WISCONSIN.—The health bulletin states as follows for the six months ended June 30, 1906: Months of January, February, and March, 1906. Urban mortality: 2,117 deaths in 100 cities and towns. Principal causes of death: Diphtheria, 26; enteric fever, 48; measles, 13; scarlet fever, 9; whooping cough, 23, and 178 from phthisis pulmonalis. Month of April, 1906. Reports from 50 cities, towns, and villages in 27 counties show as follows: Diphtheria, 48 cases, 4 deaths; enteric fever, 63 cases, 21 deaths; measles, 340 cases, 12 deaths; whooping cough, 35 cases, 4 deaths; scarlet fever, 37 cases, 4 deaths; smallpox, 50 cases, 0 deaths; phthisis pulmonalis, 66 cases, 37 deaths. Month of May, 1906. Eighty-seven cities and towns in 39 counties: Diphtheria, 70 cases, 14 deaths; enteric fever, 75 cases, 6 deaths; measles, 285 cases, 9 deaths; whooping cough, 24 cases, 3 deaths; scarlet fever, 138 cases, 4 deaths; smallpox, 116 cases, 0 deaths; phthisis pulmonalis, 125 cases, 57 deaths. Month of June, 1906. Fifty-eight cities and towns in 31 counties: Diphtheria, 63 cases, 6 deaths; enteric fever, 33 cases, 7 deaths; measles, 165 cases, 3 deaths; scarlet fever, 53 cases, 2 deaths; whooping cough, 79 cases, 1 death; smallpox, 41 cases, 0 deaths; phthisis pulmonalis, 71 cases, 45 deaths.

Milwaukee.—Month of August, 1906. Estimated population, 345,000. Total number of deaths, 459, including diphtheria 1, enteric fever 8, measles 3, whooping cough 2, and 34 from tuberculosis. Cases of contagious diseases reported: Diphtheria, 20; enteric fever, 48; measles, 10; scarlet fever, 16; smallpox, 1; tuberculosis, 74.